Zhejiang Epowsens Electronics Co.,Ltd

Fax:+86 057788233056
Tel:+86 0577 88133056
Mail: office@epowsens.net
Web: www.zjepowsens.com
Add: No.23, Yinchuan Road, New Industrial Park,
Kaihua County, Quzhou , Zhejiang, China

EPOWSENS
亿普信电子

Rich Experience/Professional Solution
Quality Assurance Stable Delivery

EPOWSENS

COMPANY PROFILE

Zhejiang Epowsens Electronics Co., Ltd. is a leading manufacturer of EAS products. Established in 2005, it specializes in soft labels, hard tags, detachers, RFID and other security products, boasting an annual output worth 9 million US dollars.

With years of production, management and exploration experience, the company has set up its own quality management system and passed ISO 9001, ROSH, SGS and CE certifications.

In the highly competitive environment nowadays, we spare no effort to help customers increase sales, guarantee quality while cutting costs and optimize the market. Our market covers 28 countries and regions including Europe, the United States, the Middle East and SoutheastAsia. We sincerely look forward to cooperating with you.

DIRECTORY

RF Label ---------- 01
AM Label ---------- 03
Hard Tag ---------- 04
Bottle Tag ---------- 07
Safer Box ---------- 09
Detacher ---------- 11
Ink Tag ---------- 13
EAS Tester ---------- 14
Deactivator ---------- 15
Alarm Tag ---------- 16
Lanyard&Pin ---------- 17
EAS System ---------- 18
EAS Display ---------- 30

RF
Label

RF 4040



Frequency:8.2MHz/9.5MHz
(Deactivatable/Non-Deactivatable)
Dimension; 40mmx40mm
Detection: 1.40m-1.60m
Color:Barcode/White/Black/Clear/Thermal
Packing: 20000pcs/ctn(1000pcs/roll),0.021cbm,11kgs

More products

RF2525
Dimension: 25mmx25mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.012CBM,
5.5kgs

RF2528
Dimension: 25mmx28mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.014CBM,
6kgs

RF3030
Dimension: 30mmx30mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.015CBM,
7kgs

RF3040
Dimension: 30mmx40mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.017CBM,
8.7kgs



RF3438
Dimension: 34mmx38mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.021CBM,
11kgs

RF3540
Dimension: 35mmx40mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.021CBM,
10kgs

RF3842
Dimension: 38mmx42mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.018CBM,
10.5kgs

RF4747
Dimension: 47mmx47mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.027CBM,
14.5kgs

RF5050
Dimension: 50mmx50mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.027CBM,
15kgs

RF33R
Dimension: φ33 mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.015CBM,
7kgs

RF40R
Dimension: φ40mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.021CBM,
9.5kgs

RF1552
Dimension: 15mmx52mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.011CBM,
5.5kgs

RF1965
Dimension: 19mmx65mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.014CBM,
8.5kgs

RF2445
Dimension: 24mmx45mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.014CBM,
7kgs

RF2347
Dimension: 23mmx47mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.018CBM,
8kgs



RF3050
Dimension: 30mmx50mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.021CBM,
11kgs



RF3060
Dimension: 30mmx60mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.021CBM,
12.5kgs

RF4060
Dimension: 40mmx60mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.027CBM,
15.5kgs



RF4070
Dimension: 40mmx70mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.027CBM,
17kgs



RF2350
Dimension: 23mmx50mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.022CBM,
8.6kgs



RF4056
Dimension: 40mmx56mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.021CBM,
12.7kgs

RF Print Label
Dimension: 40mmx40mm
Color: Customized
Packing: 20000pcs/ctn
(1000pcs/roll), 0.021CBM,
11.3kgs

RF Frozen Label
Dimension: 40mmx40mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.021CBM,
11.3kgs

RF Print Frozen Label
Dimension: 40mmx40mm
Color: Customized
Packing: 20000pcs/ctn
(1000pcs/roll), 0.021CBM,
11.3kgs



RF Valentine' s Label
Dimension: 40mmx40mm
Color: Red
Packing: 20000pcs/ctn
(1000pcs/roll), 0.021CBM,
9kgs

RF Jewellery 3030
Dimension: 31mmx105mm
Color: Barcode/White/Black
Packing: 10000pcs/ctn
(1000pcs/roll), 0.021CBM,
7kgs

RF Glasses 4040
Dimension: 45mmx154mm
Color: Barcode
Packing: 5000pcs/ctn
(500pcs/roll), 0.022CBM,
11.6kgs

RF Jewellery 40R
Dimension: 41mmx163mm
Color: White
Packing: 5000pcs/ctn
(500pcs/roll), 0.022CBM,
8kgs

Woven Label
Outer Size: 48mmx55mm
Inner Size: 40mmx40mm
Packing: customized

RF3845
Anti-human Shielding
Dimension: 38mmx45mm
Color: Barcode/White/Black
Packing: 20000pcs/ctn
(1000pcs/roll), 0.018CBM,
10.5kgs



AM 001



Frequency: 58KHz
Dimension: 45mmx10.8mm
Color:Barcode
Packing: 20000pcs/ctn,0.03cbm,12kgs
Application: Mainly used in supermarkets, cosmetic stores, pharmacies

More products

AM002
Dimension: 50mmx10.8mm
Color: Barcode
Packing: 20000pcs/ctn, 0.042CBM, 15.5kgs

AM003
Dimension: 50mmx10.7mm
Color: Barcode
Packing: 10000pcs/ctn, 0.0293CBM, 10kgs



AM004
Dimension: 70mmx20mm
Packing: Customized

AM005
Dimension: 54mmx10.8mm
Color: Barcode
Packing: Customized

AM006
Dimension: 45mmx6mm
Color: Barcode
Packing: 9000pcs/box, 36000pcs/ctn, 10.6kg/ctn, 0.024CBM



AM007
Dimension: 45mmx10.5mm
Color: Customized
Packing: 20000pcs/ctn, 0.03CBM, 12kgs

EM Label
Dimension: 10mmx63mm
Color: Barcode/White
Packing: 50000/ctn, 0.26CBM,13.5kgs

Product advantage

We will never live up to all the expectations of our customers, to provide customers with quality products, this is our obligation!

HT 001

Frequency: 8.2MHz
Dimension: 48mmx42mm
Color:Black/Gray/White or Customized
Packing: 1000pcs/ctn,0.028cbm,9.5kgs
Application: Mainly used in supermarkets, Outfit shop

More products

HT002
Frequency:8.2Mhz
Dimension: 41mmx35mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.026cbm, 8kgs

HT003
Frequency:8.2Mhz
Dimension: 53mmx44mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.032cbm, 11kgs

HT004
Frequency:8.2Mhz
Dimension: 67mmx55mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.048cbm, 15kgs

HT005
Frequency:8.2Mhz
Dimension: φ48mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.035cbm, 11.5kgs

HT006
Frequency:8.2Mhz
Dimension: φ45mm
Color: White or Customized
Packing:1,000pcs/ctn,
0.028cbm, 10kgs

HT007
Frequency:8.2Mhz
Dimension: φ62mm
Color: Gray or Customized
Packing: 500pcs/ctn,
0.04cbm, 9.5kgs

HT008
Frequency:8.2Mhz
Dimension: φ42mm
Color: White or Customized
Packing:1,000pcs/ctn,
0.026cbm, 10kgs

HT009
Frequency:8.2Mhz
Dimension: φ50mm
Color: White or Customized
Packing:1,000pcs/ctn,
0.032cbm, 10kgs

HT010
Frequency:8.2Mhz
Dimension: φ52mm
Color: White or Customized
Packing:1,000pcs/ctn,
0.035cbm, 11kgs

HT011
Frequency:8.2Mhz/58Khz
Dimension: φ62mm
Color: Black or Customized
Packing:500pcs/ctn,
0.037cbm, 11kgs

HT012
Frequency:8.2Mhz/58Khz
Dimension: φ53mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.048cbm, 17kgs

HT013
Frequency:8.2Mhz/58Khz
Dimension: φ45mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.035cbm, 13kgs

HT014
Frequency:8.2Mhz
Dimension: φ33mm
Color: White or Customized
Packing:1,000pcs/ctn,
0.022cbm, 17kgs

HT015
Frequency:8.2Mhz/58Khz
Dimension: φ40mm
Color: White or Customized
Packing:1,000pcs/ctn,
0.035cbm, 14kgs

HT016
Frequency:8.2Mhz/58Khz
Dimension: φ50mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.048cbm, 17kgs

HT017
Frequency:8.2Mhz/58Khz
Dimension: φ50mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.048cbm, 17kgs

HT018
Frequency:8.2Mhz/58Khz
Dimension: 28mmx23mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.029cbm, 13kgs

HT019
Frequency:8.2Mhz/58Khz
Dimension: 31mmx32mm
Color: White or Customized
Packing:1,000pcs/ctn,
0.022cbm, 9kgs

HT020
Frequency:8.2Mhz/58Khz
Dimension: 33mmx33mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.024cbm, 9.5kgs

HT021
Frequency:8.2Mhz/58Khz
Dimension: 28mmx23mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.018cbm, 9kgs

HT022
Frequency:8.2Mhz/58Khz
Dimension: 54mmx13mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.018cbm, 8.5kgs

HT023
Frequency:8.2Mhz/58Khz
Dimension: 46mmx13mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.015cbm, 8kgs

HT024
Frequency:8.2Mhz/58Khz
Dimension: 54mmx13mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.017cbm, 10kgs

HT025
Frequency:8.2Mhz/58Khz
Dimension: 53mmx18mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.017cbm, 9kgs

HT026
Frequency:8.2Mhz/58Khz
Dimension: 63mmx20mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.022cbm, 11kgs

HT027
Frequency:8.2Mhz/58Khz
Dimension: 59mmx18mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.017cbm, 9kgs

HT028
Frequency:8.2Mhz/58Khz
Dimension: 69mmx26mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.032cbm, 13kgs

HT029
Frequency:8.2Mhz/58Khz
Dimension: 51mmx25mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.026cbm, 11kgs

HT031
Frequency:58Khz
Dimension: 54mmx30mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.033cbm, 15kgs

HT032
Frequency:58Khz
Dimension: 55mmx31mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.026cbm, 7kgs

HT033
Frequency:58Khz
Dimension: 80mmx30mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.044cbm, 15kgs

HT034
Frequency:58Khz
Dimension: 89mmx30mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.05cbm, 15kgs

HT035
Frequency:58Khz
Dimension: 69mmx30mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.035cbm, 15kgs

HT036
Frequency:8.2Mhz/58Khz
Dimension: 50mmx65mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.029cbm, 17kgs



HT037
Frequency:8.2Mhz/58Khz
Dimension: 59mmx18mm
Color: Blue or Customized
Packing:1,000pcs/ctn,
0.023cbm, 7kgs

HT038
Frequency:8.2Mhz/58Khz
Dimension: 53mmx31mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.033cbm, 15kgs

HT039
Frequency:8.2Mhz/58Khz
Dimension: 55mmx54mm
Color: White or Customized
Packing:500pcs/ctn,
0.03cbm, 9kgs

HT040
Frequency:8.2Mhz/58Khz
Dimension: 25mmx25mm
Color: White or Customized
Packing:1,000pcs/ctn,
0.02cbm, 9kgs

HT041
Dimension: 39mmx19mm
Color: Red or Customized
Packing:1,000pcs/ctn,
0.018cbm, 7kgs

HT042
Dimension: 50mmx19mm
Color: White or Customized
Packing:500pcs/ctn,
0.023cbm, 8kgs

EPOWSENS 亿普信电子
Hard Tag



HT044
Dimension: 49mmx34mm
Color: Yellow or Customized
Packing:500pcs/ctn,
0.018cbm, 10kgs

HT045
Dimension: 45mmx43mm
Color: Red or Customized
Packing:500pcs/ctn,
0.018cbm, 7.7kgs

HT046
Frequency:8.2Mhz/58Khz
Dimension: 61mmx25mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.028cbm, 11kgs

HT047
Frequency:8.2Mhz/58Khz
Dimension: 43mmx39mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.033cbm, 10.8kgs

HT048
Frequency:8.2Mhz/58Khz
Dimension: 62mmx53mm
Color: Black or Customized
Packing:250pcs/ctn,
0.024cbm, 8kgs

HT049
Frequency:8.2Mhz/58Khz
Dimension: 35mmx34mm
Color: Gray or Customized
Packing:500pcs/ctn,
0.033cbm, 11kgs

HT050
Frequency:8.2Mhz/58Khz
Dimension: 56mmx34mm
Color: Gray or Customized
Packing:500pcs/ctn,
0.028cbm, 12kgs

HT051（ink）
Frequency:8.2Mhz/58Khz
Dimension: 61mmx20mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.036cbm, 16kgs

HT052
Frequency:8.2Mhz/58Khz
Dimension: 61mmx20mm
Color: Black or Customized
Packing:1,000pcs/ctn,
0.036cbm, 16kgs

HT055
Frequency:58Khz
Dimension: 29mmx11mm
Color: Black or Customized
Packing:Customized

HT056
Frequency:58Khz
Dimension: 56mmx14mm
Color: Gray or Customized
Packing:Customized

HT057
Frequency:8.2Mhz/58Khz
Dimension: φ42mm
Color: White or Customized
Packing:500pcs/ctn,
0.031cbm, 9kgs

HT058
Frequency:58Khz
Dimension: 23mmx89mm
Color: Gray or Customized
Packing:1,000pcs/ctn,
0.04cbm, 12kgs

HT059
Frequency:8.2Mhz/58Khz
Dimension: 62mmx28mm
Color: White or Customized
Packing:1,000pcs/ctn,
0.031cbm, 13kgs

HT060
Frequency:8.2Mhz/58Khz
Dimension: 72mmx37mm
Color: Black or Customized
Packing:Customized

HT061
Frequency:8.2Mhz/58Khz
Dimension: 39mmx18mm
Color: Gray or Customized
Packing:2,000pcs/ctn,
0.022cbm, 11kgs

HT062
Frequency:8.2Mhz/58Khz
Dimension: 44x52x11mm
Color: Black
Packing:500pcs/ctn,
0.032cbm, 7.9kgs

HT063
Frequency:8.2Mhz/58Khz
Dimension: 48x42x19mm
Color: Yellow
Packing:1,000pcs/ctn,
0.044cbm, 13.5kgs



EPOWSENS 亿普信电子
Bottle Tag

BT 001

Frequency:8.2MHz
Dimension : φ55 mm
Color:White/Black/Clear or Customized
Lock : Magnetic Lock
Packing: 500pcs/ctn
0.038cbm,13kgs

More products

BT002
Frequencey:8.2Mhz
Dimension: 48mmx42mm
Color: Black or Customized
Packing:500pcs/ctn,
0.038cbm, 12kgs

BT003
Frequencey:8.2Mhz/58Khz
Dimension: 36mmx30mm
Color: Black or Customized
Packing:500pcs/ctn,
0.026cbm, 11kgs

BT004
Frequencey:8.2Mhz
Dimension: φ55mm
Color: Black or Customized
Packing:500pcs/ctn,
0.038cbm, 13kgs

BT005
Frequencey:8.2Mhz
Dimension: φ50mm
Color: Black or Customized
Packing:500pcs/ctn,
0.038cbm, 11kgs

BT006
Frequencey:8.2Mhz
Dimension: φ55mm
Color: Black or Customized
Packing:500pcs/ctn,
0.051cbm, 15kgs

BT007
Frequencey:8.2Mhz/58Khz
Dimension: 36mmx30mm
Color: White or Customized
Packing:500pcs/ctn,
0.038cbm, 15kgs

BT008
Frequencey:8.2Mhz
Dimension: φ55mm
Color: Black or Customized
Packing:500pcs/ctn,
0.051cbm, 15kgs

BT009
Frequencey:8.2Mhz
Dimension: φ55mm
Color: Black or Customized
Packing:500pcs/ctn,
0.045cbm, 13kgs

BT010
Frequencey:8.2Mhz
Dimension: 48mmx42mm
Color: Black or Customized
Packing:500pcs/ctn,
0.034cbm, 12kgs

BT011
Frequencey:8.2Mhz
Dimension: φ55mm
Color: Black or Customized
Packing:500pcs/ctn,
0.045cbm, 13kgs

BT012
Frequencey:8.2Mhz/58Khz
Dimension: φ50mm
Color: Black or Customized
Packing:500pcs/ctn,
0.045cbm, 13kgs

BT013
Frequencey:8.2Mhz/58Khz
Dimension: 36mmx30mm
Color: Black or Customized
Packing:500pcs/ctn,
0.034cbm, 11kgs

BT014
Frequencey:8.2Mhz/58Khz
Dimension: φ37mmx46mm
Color: Black or Customized
Packing:200pcs/ctn,
0.031cbm, 7.5kgs

BT015
Frequencey:8.2Mhz/58Khz
Dimension: φ40mmx87mm
Color: Black or Customized
Packing:200pcs/ctn,
0.064cbm, 13.5kgs

BT016
Frequencey:8.2Mhz/58Khz
Dimension: 68mmx41mm
Color: Black or Customized
Packing:500pcs/ctn,
0.028cbm, 11.5kgs

BT017
Frequencey:8.2Mhz/58Khz
Dimension: φ140mmx44mm
Color: Gray or Customized
Packing:100pcs/ctn,
0.068cbm, 17kgs

BT018
Frequencey:8.2Mhz/58Khz
Dimension: φ140mmx44mm
Color: White or Customized
Packing:100pcs/ctn,
0.07cbm, 16kgs

BT019
Frequencey:8.2Mhz/58Khz
Dimension: φ166mmx40mm
Color: Transparent
Packing:100pcs/ctn,
0.095cbm, 14kgs

BT020
Frequencey:8.2Mhz/58Khz
Dimension: φ136mmx30mm
Color: White or Customized
Packing:500pcs/ctn,
0.045cbm, 13kgs

BT021
Frequencey:8.2Mhz/58Khz
Dimension: φ140mmx33mm
Color: Gray or Customized
Packing:100pcs/ctn,
0.068cbm, 13.5kgs

BT023
Frequencey:8.2Mhz/58Khz
Dimension: 66x50x43mm
Color: Gray or Customized
Packing:200pcs/ctn,
0.044cbm, 16kgs

BT024
Frequencey:8.2Mhz/58Khz
Dimension: 68x65x48mm
Color: Black or Customized
Packing:100pcs/ctn,
0.033cbm, 7kgs

BT025
Frequencey:8.2Mhz
Dimension: 32x53x46mm
Color: Black/Gray/White or Customized
Packing:Customized

BT026
Frequencey:8.2Mhz/58Khz
Dimension: φ55mm
Color: Blackor Customized
Packing:500pcs/ctn,
0.035cbm, 17kgs

BT027
Frequencey:8.2Mhz/58Khz
Dimension: φ50mm
Color: Black or Customized
Packing:500pcs/ctn,
0.035cbm, 13kgs

BT028
Frequencey:8.2Mhz/58Khz
Dimension: 58x30x13mm
Color: Gray or Customized
Packing:500pcs/ctn,
0.037cbm, 13.5kgs

BT030
Frequencey:8.2Mhz/58Khz
Dimension: 20mmx69mm
Color: Gray or Customized
Packing:500pcs/ctn,
0.026cbm, 12kgs

BT031
Frequencey:8.2Mhz/58Khz
Dimension: 55mmx39mm
Color: Black or Customized
Packing:500pcs/ctn,
0.026cbm, 12kgs

BT032
Frequencey:8.2Mhz/58Khz
Dimension: φ51mmx75mm
Color: Black or Customized
Packing:500pcs/ctn,
0.028cbm, 7.6kgs

EPOWSENS 亿普信电子
Safer Box

SF 001

Frequency:8.2MHz
Outer Dimension:161.5*114*43.4mm
Inner Dimension:79.6*110*18.5mm
Packing: 100pcs/ctn,0.053cbm/ctn, 8kgs
Description:Made by PC transparent material

More products

SF002
Frequency: 8.2MHz
Inner Dimension:
79.1x110x32.2mm
Packing:100pcs/ctn,
0.073cbm, 10kgs

SF003
Frequency: 8.2MHz
Inner Dimension:
53.4x119x51.7mm
Packing:100pcs/ctn,
0.083cbm, 12kgs

SF004
Frequency: 8.2MHz
Inner Dimension:
97.6x78x42mm
Packing:100pcs/ctn,
0.072cbm, 12kgs

SF005
Frequency: 8.2MHz
Inner Dimension:
150.5x118.5x43.2mm
Packing:100pcs/ctn,
0.144cbm, 16.5kgs

SF006
Frequency: 8.2MHz
Inner Dimension:
162x119.7x27.1mm
Packing:100pcs/ctn,
0.125cbm, 17kgs

SF007
Frequency: 8.2MHz
Inner Dimension:
192x141.5x18mm
Packing:100pcs/ctn,
0.098cbm, 11.5kgs

SF008
Frequency: 8.2MHz
Inner Dimension:
205x149x16mm
Packing:50pcs/ctn,
0.098cbm, 24.5kgs

SF009
Frequency: 8.2MHz
Inner Dimension:
120x110x28mm
Packing:100pcs/ctn,
0.125cbm, 14kgs

SF010
Frequency: 8.2MHz
Inner Dimension:
193x147x17mm
Packing:100pcs/ctn,
0.082cbm, 21kgs

SF011
Frequency: 8.2MHz
Inner Dimension:
200x150x50mm
Packing:50pcs/ctn,
0.115cbm, 16kgs

SF012
Frequency: 8.2MHz
Inner Dimension:
117x85x55mm
Packing:50pcs/ctn,
0.115cbm, 16kgs

SF013
Frequency: 8.2MHz
Inner Dimension:
117x85x32.5mm
Packing:100pcs/ctn,
0.115cbm, 16kgs

SF014
Frequency: 8.2MHz
Inner Dimension:
182x115x40mm
Packing:100pcs/ctn,
0.069cbm, 12kgs

SF015
Frequency: 8.2MHz
Inner Dimension:
240x140x50mm
Packing:50pcs/ctn,
0.123cbm, 17kgs

SF016
Frequency: 8.2MHz
Inner Dimension:
203x98x23mm
Packing:100pcs/ctn,
0.115cbm, 16kgs

SF017
Frequency: 8.2MHz
Inner Dimension:
150x120x45mm
Packing:50pcs/ctn,
0.089cbm, 11.5kgs

SF018
Frequency: 8.2MHz
Inner Dimension:
170x136x60mm
Packing:50pcs/ctn,
0.134cbm, 13.5kgs

SF019
Frequency: 8.2MHz
Inner Dimension:
220x116.5x65mm
Packing:50pcs/ctn,
0.123cbm, 19kgs

SF020
Frequency: 8.2MHz
Inner Dimension:
250x100x100mm
Packing:50pcs/ctn,
0.192cbm, 19kgs

SF021
Frequency: 8.2MHz
Inner Dimension:
220x175x50mm
Packing:50pcs/ctn,
0.093cbm, 19kgs

SF022
Frequency: 8.2MHz
Inner Dimension:
245x60x50mm
Packing:50pcs/ctn,
0.093cbm, 19kgs

SF023
Frequency: 8.2MHz
Inner Dimension:
155x120x50mm
Packing:50pcs/ctn,
0.08cbm, 14kgs

SF024
Frequency: 8.2MHz
Inner Dimension:
104x83x49mm
Packing:100pcs/ctn,
0.08cbm, 17kgs

SF025
Frequency: 8.2MHz
Inner Dimension:
165x100x75mm
Packing:40pcs/ctn,
0.08cbm, 10kgs

SF026
Frequency: 8.2MHz
Inner Dimension:
122x55x55mm
Packing:120pcs/ctn,
0.08cbm, 16kgs

SF027
Frequency: 8.2MHz
Inner Dimension:
294x108x56mm
Packing:40pcs/ctn,
0.11cbm, 12kgs

SF028
Frequency: 8.2MHz
Inner Dimension:
72x78x115mm
Packing:100pcs/ctn,
0.067cbm, 12kgs

SF029
Frequency: 8.2MHz
Inner Dimension:
φ70mmx86mm
Packing:100pcs/ctn,
0.081cbm, 10kgs

SF030
Frequency: 8.2MHz
Inner Dimension:
φ70mmx120mm
Packing:100pcs/ctn,
0.091cbm, 11kgs

SF031
Frequency: 8.2MHz
Inner Dimension:
φ107mm*147mm
Packing:36pcs/ctn,
0.088cbm, 9kgs

SF032
Frequency: 8.2MHz
Inner Dimension:
φ147mm*195mm
Packing:20pcs/ctn,
0.099cbm, 8.5kgs

EPOWSENS 亿普信电子
Deta cher

DT 001

Dimension:φ75mm*25mm
Magnetic Force: Standard
Packing: 100pcs/ctn,0.023cbm,24kgs
Application: clothes stores,
supermarket, retail stores,etc

More products

DT002
Dimension: φ75mmx45mm
Magnetic Force:≥8000GS
Packing:50pcs/ctn,
0.023cbm, 23kgs

DT003
Dimension: φ70x30mm
Magnetic Force:≥8000GS
Packing:50pcs/ctn,
0.021cbm, 20kgs

DT004
Dimension: φ70mmx*48mm
Magnetic Force:≥8000GS
Packing:50pcs/ctn,
0.027cbm, 22kgs

DT005
Dimension: φ75mmx36mm
Magnetic Force:≥8000GS
Packing:50pcs/ctn,
0.027cbm, 23kgs



DT006
Dimension: φ70mmx28mm
Magnetic Force:≥8000GS
Packing:50pcs/ctn,
0.027cbm, 23kgs

DT007
Dimension: φ75mmx45mm
Magnetic Force:≥8000GS
Packing:50pcs/ctn,
0.027cbm, 23kgs

DT008
Dimension: φ75mmx35mm
Magnetic Force:≥8000GS
Packing:50pcs/ctn,
0.023cbm, 20kgs

DT009
Dimension: φ70mmx40mm
Magnetic Force:>7500GS
Packing:50pcs/ctn,
0.024cbm, 21kgs

DT010
Dimension: φ65mmx20mm
Magnetic Force:>5500GS
Packing:50pcs/ctn,
0.024cbm, 9kgs

DT012
Dimension: φ87mmx38mm
Magnetic Force:>10000GS
Packing:50pcs/ctn,
0.024cbm, 22kgs

DT013
Dimension: φ83mmx52mm
Magnetic Force:15000GS
Packing:Customized

DT014
Dimension: φ85mmx55mm
Magnetic Force:16000GS
Packing:Customized

DT015
Dimension: φ78mmx51mm
Magnetic Force:14000GS
Packing:Customized

DT016
Dimension: φ65mmx38mm
Magnetic Force: Standard
Packing:50pcs/ctn,
0.021cbm, 23kgs

DT017
Dimension: φ45mmx38mm
Packing:Customized

DT018
Dimension: φ30mmx21mm
Packing:Customized

DT019
Dimension: φ45mmx16mm
Magnetic Force: 4500GS
Packing:100pcs/ctn,
0.021cbm, 10kgs

DT020
Dimension:65x35x15mm
Magnetic Force:≥4500GS
Packing:100pcs/ctn,
0.027cbm, 5kgs

DT021
Dimension:118x24x12mm
Magnetic Force: 4500GS
Packing:100pcs/ctn,
0.027cbm, 8kgs

DT022
Dimension:9cm in length
Magnetic Force: Standard
Packing:1,000pcs/ctn,
0.025cbm, 11.5kgs

DT023
Dimension:160x100x70mm
Magnetic Force: Standard
Packing:1pc/box,
0.0026cbm, 0.045kgs

DT024
Dimension:190x80x23mm
Magnetic Force: Standard
Packing:1pc/box,
0.0015cbm, 0.5kgs

DT025
Dimension: φ82mmx75mm
Magnetic Force:12000GS
Packing:50pcs/ctn,
0.0365cbm, 19kgs

DT026
Dimension:150mmx102mm
Magnetic Force: Standard
Packing:5 sets/ctn,
0.04cbm, 8.5kgs

DT027
Dimension:220x180x65mm
Magnetic Force: Standard
Packing:5sets/ctn,
0.04cbm, 8.5kgs

DT028
Dimension: φ50mmx72mm
Magnetic Force:>10000GS
Packing:50pcs/ctn,
0.024cbm, 15kgs

DT029
Dimension: φ40mmx45mm
Magnetic Force: Standard
Packing:50pcs/ctn,
0.021cbm, 22kgs

DT030
Dimension: φ18mmx53mm
Magnetic Force: 4500GS
Packing:100pcs/ctn,
0.0075cbm, 7kgs

DT031
Dimension: φ102mmx44mm
Magnetic Force: 12000GS
Packing: customized

How to use detacher

1.Screw the detacher
to the table



2.Bump the raised
part of tag into the
depressed

3.Remove the pin
fromthe tagpart of
detacher

IT 001

Dimension:φ25mm
Color: Red/Blue/Yellow/Green or Customized
Packing: 2000pcs/ctn,0.021cbm, 7kgs

More products

IT002
Frequency:8.2Mhz
Dimension: φ55mm
Color: Black or Customized
Packing:500pcs/ctn, 0.028cbm, 11kgs

IT003
Frequency:58Khz
Dimension: φ50mm
Color: White or Customized
Packing:500pcs/ctn, 0.028cbm, 11kgs

IT004
Dimension: φ50mm
Color: White/Black or Customized
Packing:1,000pcs/ctn, 0.036cbm, 11kgs

IT005
Frequency:8.2Mhz
Dimension: φ50mm
Color: White or Customized
Packing:1,000pcs/ctn, 0.052cbm, 15kgs

IT006
Frequency:8.2Mhz
Dimension: φ50mm
Color: White or Customized
Packing:500pcs/ctn, 0.028cbm, 10kgs

IT007
Dimension: 40mmx25mm
Color: Clear or Customized
Packing:1,000pcs/ctn, 0.028cbm, 11kgs

IT008
Dimension: 40mmx25mm
Color: White or Customized
Packing:1,000pcs/ctn, 0.021cbm, 8kgs

IT009
Dimension: 40mmx25mm
Color: White or Customized
Packing:1,000pcs/ctn, 0.03cbm, 6kgs

IT010
Frequency:8.2Mhz
Dimension: φ50mm
Color: White or Customized
Packing:500pcs/ctn, 0.039cbm, 8kgs

IT011
Frequency:58Khz
Dimension: φ50mm
Color: White or Customized
Packing:500pcs/ctn, 0.038cbm, 8kgs

IT012
Frequency:8.2Mhz
Dimension: φ40mm
Color: White or Customized
Packing:1,000pcs/ctn, 0.029cbm, 9.2kgs

IT013
Dimension: 43mmx32mm
Color: Black/White/Red or Customized
Packing:1,000pcs/ctn, 0.029cbm, 10.5kgs

IT014
Dimension: φ25mm
Color: Black/White or Customized
Packing:1,000pcs/ctn, 0.029cbm, 3.5kgs

IT015
Dimension: φ25mm
Color: Black/White or Customized
Packing:1,000pcs/ctn, 0.029cbm, 3.5kgs

IT016
Dimension: 47mmx41mm
Color: Black/White or Customized
Packing:1,000pcs/ctn, 0.029cbm, 10kgs

DE 001

Frequency: 8.2MHz/58KHz
Dimension: 200mm*90mm*30mm
Packing: 1pc/Box,0.00076cbm, 0.2kgs
Application: clothes stores, supermarket, retail stores,etc

More products

DE002
Frequency:8.2Mhz/58Khz
Dimension:145x64x25mm
Color: White
Packing:1pc/box, 0.00038cbm, 0.1kgs

DE003
Frequency:8.2Mhz
Dimension:135x70x22mm
Color: Black
Packing:1pc/box, 0.00045cbm, 0.1kgs

DE004
Frequency:8.2Mhz/58Khz
Dimension:190x103x62 mm
Color: White
Packing:1pc/box, 0.0014cbm, 0.15kgs

DE005
Frequency:8.2Mhz
Dimension:180x93x41 mm
Color: White
Packing:Customized

DE006
Frequency:8.2Mhz/58Khz
Dimension:330x73x30mm
Color: Black
Packing:1pc/box, 0.0013cbm, 0.2kgs

DE007
Frequency:EM
Dimension:410x85x43mm
Color: Black
Packing:1pc/box, 0.00076cbm, 0.2kgs

DE008
Frequency:8.2Mhz/58Khz
Dimension:410x82x42mm
Color: Black
Packing:Customized

DE009
Frequency:8.2Mhz/58Khz
Dimension:345mmx75mm
Color: Gray
Packing:50pcs/ctn, 0.075cbm, 8kgs

DE010
Frequency:8.2Mhz/58Khz
Dimension:340x80x55mm
Color: Gray
Packing:Customized

DE011
Frequency:8.2Mhz/58Khz
Dimension:277mmx55mm
Color: Black
Packing:Customized

BE 001

Center frequency: 8.2MHz
Scanning Frequency: 7.0～9.0 MHz
Decoding height: 200-400mm
Pad size: 240mm×240mm×160mm
Material: tempered glass
Alarm:No Sound&Light
Packing:20pcs/ctn, 0.068CBM,20kgs

More products



BE002
Center frequency: 8.2MHz
Decode height: 150-200mm
Dimension:240x240x160mm
Alarm:Sound&Light



BE003
Center frequency: 8.2MHz
Decode height: 150-200mm
Dimension:240x240x160mm
Alarm:Sound&Light



BE004
Center frequency: 8.2MHz
Decode height: 250mm
Dimension:275x215x150mm
Alarm:Sound&Light

BE005
Center frequency: 8.2MHz
Decode height: 150-200mm
Dimension:240x240x195mm
Alarm:Sound&Light

BE008
Center frequency: 8.2MHz
Decode height: 150-200mm
Dimension:233x243x20mm
Alarm:Sound&Light

BE009
Center frequency: 58KHz
Decode height: 150-200mm
Dimension:155x105x7mm
Alarm:NO Sound&Light

BE010
Center frequency: 58KHz
Decode height: 150-200mm
Dimension:230x190x55mm
Alarm:Sound&Light

BE011
Center frequency: 58KHz
Decode height: 150-200mm
Dimension:293X235X90mm
Alarm:Sound&Light

BE012
Center frequency: 58KHz
Decode height: 80-120mm
Dimension:245x204x58mm
Alarm:Sound&Light



BE013
Center frequency: 58KHz
Decode height: 50-100mm
Dimension:230x200x50mm
Alarm:Sound&Light

BE014
Center frequency: 58KHz
Decode height: 30-100mm
Dimension:220x170x60mm
Alarm:Sound&Light

BE015
Center frequency: 100KC
Decode height: 150-200mm
Dimension:270x225x110mm
Alarm:Sound&Light

BE016
Center frequency: 100KC
Decode height: 150-200mm
Dimension:270x225x110mm
Alarm:Sound&Light

BE017
Center frequency: 58KHz
Decode height: 250mm
Dimension:275x215x150mm
Alarm:Sound&Light

BE018
Center frequency: 8.2MHz
Decode height: 150-200mm
Dimension:270x225x110mm
Alarm:Sound&Light

AS 001

Frequency: 8.2MHz/58KHz
Spec:Dual Alarm/Tripple Alarm
Dimension: Ø70mm
Color: Black/White or Customized
Lock: Magnetic Lock
Packing:100pcs/ctn, 0.036cbm, 9kg

More products

AS002
Dimension: φ50mm
Color: Black or Customized
Packing:250pcs/ctn,
0.04cbm, 13.8kgs

AS003
Dimension: φ50mm
Color: Black or Customized
Packing:Customized

AS004
Dimension: φ45mm
Color: Black or Customized
Packing:250pcs/ctn,
0.04cbm, 13.5kgs

AS005
Dimension: φ70mm
Color: Black or Customized
Packing:Customized

AS006
Dimension: φ50mm
Color: Black or Customized
Packing:100pcs/ctn,
0.031cbm, 8kgs

AS007
Dimension: φ70mm
Color: Black or Customized
Packing:100pcs/ctn,
0.037cbm, 11.5kgs

AS008
Dimension: φ50mm
Color: Black or Customized
Packing:100pcs/ctn,
0.033cbm, 8kgs

AS009
Dimension: φ50mm
Color: Black or Customized
Packing:Customized

AS010
Dimension: φ50mm
Color: Black or Customized
Packing:Customized

AS011
Dimension: φ70mm
Color: Black or Customized
Packing:50pcs/ctn,
0.031cbm, 7.25kgs

AS012
Dimension: φ70mm
Color: Black or Customized
Packing:100pcs/ctn,
0.037cbm, 11kgs

AS013
Dimension: 34mmx85mm
Color: Black or Customized
Packing:200pcs/ctn,
0.071cbm, 23kgs

AS014
Dimension: 30mmx80mm
Color: Black or Customized
Packing:Customized

AS015
Dimension: 60mmx28mm
Color: Black or Customized
Packing:Customized

MORE NEW...

PN 001

Length: 16mm or 19mm or Customized
Head Diameter: 12mm
Spec : Smooth or Grooved
Packing: 10,000pcs/ctn, 0.012cbm (32x25x15cm), 16kgs

More products

PN002
Length: 16mm/19mm
Head Diameter: 16mm
Spec: Smooth or Grooved
Packing:10,000pcs/ctn,
0.02cbm, 20kgs

PN003
Length: 16mm/19mm
Head Diameter: 14mm
Spec: Smooth or Grooved
Packing:10,000pcs/ctn,
0.032cbm, 20kgs

PN004
Length: 16mm/19mm
Head Diameter: 13mm
Spec: Smooth or Grooved
Packing:30,000pcs/ctn,
0.011cbm, 15.6kgs



PN005
Length: 16mm/19mm
Head Diameter: 20mm
Spec: Smooth or Grooved
Packing:10,000pcs/ctn,
0.04cbm, 11kgs

PN006
Length: 16mm/19mm
Head Diameter: 12mm
Spec: Smooth or Grooved
Packing:10,000pcs/ctn,
0.012cbm, 21kgs

PN007
Length: 16mm/19mm
Head Diameter: 14mm
Spec: Smooth or Grooved
Packing:10,000pcs/ctn,
0.02cbm, 20kgs



PN008
Length: 16mm/19mm
Head Diameter: 20mm
Spec: Smooth or Grooved
Packing:10,000pcs/ctn,
0.032cbm, 9.5kgs

PN009
Length: 16mm/19mm
Head Diameter: 22mm
Spec: Smooth or Grooved
Packing:10,000pcs/ctn,
0.04cbm, 10kgs

PN010
Length: φ19mm
Spec: Smooth or Grooved
Packing:5,000pcs/ctn,
0.028cbm, 18kgs

PN011
Length: φ16mm
Spec: Smooth or Grooved
Packing:5,000pcs/ctn,
0.029cbm, 18kgs



PN012
Dimension: φ28mm
Spec: Smooth or Grooved
Packing:Customized



LY001
Dimension: 170mm
Color: Black or Customized
Packing:10,000pcs/ctn,
0.027cbm, 20kgs



LY002
Dimension: 200mm
Color: Black or Customized
Packing:5,000pcs/ctn,
0.016cbm, 12kgs



LY003
Dimension: 170mm
Color: Sliver
Packing:10,000pcs/ctn,
0.019cbm, 16kgs



LY004
Dimension: 120mm
Color: Sliver
Packing:2,000pcs/ctn,
0.016cbm, 6kgs

ES 002

Rated Voltage:DC24V
Rated Power:20W
Frequency:8.2Mhz
Scanning Frequency:7.9-8.5Mhz
Detection width:
RF Label≤100cm
Small Square≤120cm
Large Square≤170cm
Max Protection Area:240cm
Antenna Material: Alloy
Cover Plate Material:Engineering ABS Material
Color:Ivory
Size:160*39*10cm
Packing: 2pcs/ctn, 0.14cbm,14kgs

ES 003

Rated Voltage:DC24V
Rated Power:20W
Frequency:8.2Mhz
Scanning Frequency:7.9-8.5Mhz
Detection width:
RF Label≤100cm
Small Square≤120cm
Large Square≤170cm
Max Protection Area:240cm
Antenna Material:Acrylic
Color:Transparent
Color:Sliver
Size:156*37*10cm
Packing: 1pcs/ctn, 0.11cbm,26.5kgs

EPOWSENS 亿普信电子
Eas System

ES 004

Rated Voltage:DC24V
Rated Power:20W
Frequency:8.2Mhz
Scanning Frequency:7.9-8.5Mhz
Detection width:
RF Label≤100cm
Small Square≤120cm
Large Square≤170cm
Max Protection Area:240cm
Antenna Material: titanium alloy aluminum
Color:Black
Size:157*44*7cm
Packing: 2pcs/ctn, 0.14cbm,19kgs

ES 007

Rated Voltage:DC24V
Rated Power:30W
Frequency:8.2Mhz
Scanning Frequency:7.9-8.5Mhz
Detection width:
RF Label≤150cm
Small Square≤200cm
Large Square≤240cm
Max Protection Area:240cm
Antenna Material: Alloy
Cover Plate Material:Engineering ABS Material
Color:Ivory
Size:151*39*6cm
Packing: 2pcs/ctn, 0.1cbm,8kgs

ES 005

Rated Voltage:DC24V
Rated Power:30W
Frequency:8.2Mhz
Scanning Frequency:7.9-8.5Mhz
Detection width:
RF Label≤150cm
Small Square≤200cm
Large Square≤240cm
Max Protection Area:240cm
Antenna Material: Alloy
Color:Silver gray
Cover Plate Material:Metal
Color:Black
Size:165*39*8cm

ES 008

Rated Voltage:DC24V
Rated Power:30W
Frequency:8.2Mhz
Scanning Frequency:7.9-8.5Mhz
Detection width:
RF Label≤160cm
Small Square≤200cm
Large Square≤240cm
Max Protection Area:240cm
Antenna Material: Acrylic
Cover Plate Material:Metal
Color:Sheer
Size:151*38*11cm
Packing: 1pcs/ctn, 0.12cbm,12kgs

ES 009

Rated Voltage: DC24V
Center Frequncy:8.2Mhz
Scanning Frequency:7.9~8.5Mhz
Detection range:
Rf Label≤100CM
Small Square≤120CM
Large Square≤170CM
Max Protection Area:220cm
Main Material:Aluminem Alloy
Size:1620*405*45mm
Packing: 2pcs/ctn, 0.135cbm, 15kgs

ES 010

Rated Voltage: DC24V
Center Frequncy:8.2Mhz
Scanning Frequency:7.9~8.5Mhz
Detection range:
Rf Label≤100CM
Small Square≤120CM
Large Square≤170CM
Max Protection Area:220cm
Main Material:Aluminem Alloy
Size:1670*440*24mm
Packing: 2pcs/ctn, 0.198cbm, 20kgs

EPOWSENS 亿普信电子
Eas System

ES 105

Input Voltage:220VAC
Frequency:58Khz
Detection width:
AM Label≤120cm
25-39Magnet≤150cm
39-50Magnet≤240cm
Antenna Material:ABS
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:150*45*11.5cm
Packing: 2pcs/ctn, 0.183cbm,20kgs

ES 109

Input Voltage:220VAC
Frequency:58Khz
Detection width:
AM Label≤150cm
25-39Magnet≤180cm
39-50Magnet≤300cm
Antenna Material:ABS
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:156*42*4cm
Packing: 1pcs/ctn, 0.153cbm,14kgs

EPOWSENS 亿普信电子
Eas System

ES 120

Input Voltage:220VAC
Frequency:58Khz
Detection width:
AM Label≤120cm
25-39Magnet≤150cm
39-50Magnet≤240cm
Antenna Material:ABS
Cover Plate Material:ABS
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:154*40*3.2 cm
Packing:2pcs/ctn, 0.157cbm,13.5kg

ES 150

Input Voltage:220VAC
Frequency:58Khz
Detection width:
DR soft label: around 1.6m
Pencil tag: 1.8m
Antenna material: ABS
Color:white
Working Conditions:-20℃-45℃
Size:1590*400*30mm
Debugging method: By Remote control
Packing:2pcs/ctn,0.163cbm,14.5kg

ES 130

Input Voltage:220VAC
Frequency:58Khz
Detection width:
AM Label≤150cm
25-39Magnet≤180cm
39-50Magnet≤240cm
Antenna Material:ABS
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:162*46*3.2 cm
Packing: 2pcs/ctn, 0.179cbm,15kg

ES 160

Input Voltage:220VAC
Frequency:58Khz
Detection width:
AM Label≤180cm
25-39Magnet≤200cm
39-50Magnet≤240cm
Antenna Material:Arylic
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:152*40*2 cm
Packing: 1pcs/ctn,0.134cbm,21kg

EPOWSENS 亿普信电子
Eas System

ES 200

Input Voltage:220VAC
Frequency:58Khz
Detection width:
DR soft label: around 1.6m
Pencil tag: 1.8m
Antenna Material:Acrylic
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:154*42*4.4 cm
Packing: 2pcs/ctn, 0.149cbm, 12.4KG



ES 270

Input Voltage:220VAC
Frequency:58Khz
Detection width:
DR soft label: around 1.6m
Pencil tag: 1.8m
Antenna Material:Acrylic
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:146*20* 2 cm
Packing: 1pcs/ctn, 0.0708cbm,15kgs

ES 260

Input Voltage:220VAC
Frequency:58Khz
Detection width:
DR soft label: 1.4~1.5m
Pencil tag: 1.6~1.7m
Antenna Material:ABS
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:152*40*3.5 cm
Packing: 2pcs/ctn, 0.157cbm, 13.5kg

ES 280

Input Voltage:220VAC
Frequency:58Khz
Detection width:
DR soft label: around 1.6m
Pencil tag: 1.8m
Antenna Material:ABS
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:156*40*3.2 cm
Packing: 1pc/ctn, 0.163cbm, 13.6kg



ES 290

Input Voltage:220VAC
Frequency:58Khz
Detection width:
DR soft label: around 1.6m
Pencil tag: 1.8m
Antenna Material:Acrylic
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:146*33*2 cm
Packing: 1pcs/ctn, 0.105cbm, 19kg

ES 390

Input Voltage:220VAC
Frequency:58Khz
Detection width:
DR soft label: around 1.6m
Pencil tag: 1.8m
Antenna material: Acrylic
Color: transparent
Working Conditions:-20℃-45℃
Size:1454*350*20mm
Debugging method: By Remote control
Packing:1pcs/ctn,0.105cbm,19kg

ES 301

Input Voltage:220VAC
Frequency:58Khz
Detection width:
DR soft label: around 1.6m
Pencil tag: 1.8m
Antenna material: ABS
Color:white
Working Conditions:-20℃-45℃
Size:1495*410*38mm
Debugging method: By Remote control
Packing:2pcs/ctn,0.145cbm,13.5kg

ES 400

Input Voltage:220VAC
Frequency:58Khz
Detection width:
DR soft label: around 1.6m
Pencil tag: 1.8m
Antenna Material:ABS
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:161*46*3.2 cm
Packing: 2pcs/ctn, 0.179cbm,15kg



ES 500

Input Voltage:220VAC
Frequency: 58KHz
Detection width:
RF Label≤120cm
Small Square≤160cm
Large Square≤200cm
Antenna Material:ABS
Color:White
Working Conditions:-20℃-45℃
Relative humidity:60%
Size:152*40*7 cm
Packing: 1pcs/ctn, 0.108cbm, 18.6kg

ES 600

With people counter
Input Voltage:220VAC
Frequency:58Khz
Detection width:
DR soft label: around 1.8m
Pencil tag: 2m
Antenna material: ABS
Color:White
Working Conditions:-20℃-45℃
Size:1532*424*34mm
Debugging method: By Remote control
Packing:1pcs/ctn,0.105cbm,19kg

Security Dispiay Solution

Cell phone security display holder

SD001 Security Display

SD002 Security Display

SD003 Security Display

SD004 Security Display

SD005 Security Display

SD006 Security Display

SD007 Security Display

SD008 Security Display(NEW)

PC001 PC Security Display

PC002 PC Security Display

PC003 PC Security Display

MORE NEW• • •

Multi-port open display security system

A39 2 interface alarm system

A26 4 interface alarm system

Cell phone display holder

HD1701

HD1702

HD1703


HD1704

Security Dispiay Solution

Tablet PC display holder

HD1705

HD1706

HD1707

Alarm system connects cables

type A

Android
Length: 1.8m weight: 35g

Iphone
Length: 1.8m weight: 35g

Type-C
Length: 1.8m weight: 35g

type B

(Double sided viable)
Android
Length: 1.8m weight: 35g

Iphone
Length: 1.8m weight: 35g

Type-C
Length: 1.8m weight: 35g

Android smiley face cable
Length: 1.8m weight: 35g

Headset cable
Length: 68cm weight: 20g


Loop cable
Length: 68cm weight: 20g

3M Glue cable
Length: 68cm weight: 20g

HT041Lock & DT016Detacher
Size: 4/5/6/7/8mm
(Lock colors: red、black、white or Customized)

HT041 With logo

HT045 Double hook & DT016P

HT044 Double hook
Size: 4.5/6mm

DT020 Detacher & HT042 Lock

HK001

AB001

AB002

EPOWSENS 亿普信电子
Security Display Solution

OUR PRODUCTS

PROFESSIONAL DEDICATED
HONEST INNOVATIVE

Welcome to visit our factory!